

FOLDING ARM

KLIP · STEIN · KUMO · PIUMA

SHEERVIEW
WINDOW FURNISHINGS



BENEFITS



Budget



10yr Warranty



Popular



UV Resistant



High weather protection



Quality



50km wind rated



Ideal for all size areas



*Powder coat available**



*Motorized option available**

*additional cost

CONTROLS



Crank Gear



Motorised

COLOURS



White



Ivory



Graphite

KLIP

FOLDING ARM AWNING

SHEERVIEW
WINDOW FURNISHINGS

//UNIQUE ARM SYSTEM

The class performing DAT (Dynamic Arm Torsion) system design ensures optimum chain & fabric damage prevention. The awning arms open and close without touching fabric during operation. The DAT System features only stainless steel screws, bolts and pins and is the most advanced choice for your awnings.

FEATURES

- / Strong and secure eight link stainless steel chain.
- / Outstanding mechanical performance.
- / Fabric damage prevention.
- / Teflon coated for marine grade protection.
- / Arms can be adjusted to tilt in single degree increments.



KLIP

open



KLIP

closed




FABRIC PROTECTING HOOD

optional




FIXING DIMENSIONS

WALL/TOP FIX with folded arms
5° incline



ARM PROJECTION



MAX AWNING DIMENSIONS

Max width: 14m
Max projection: 3.5m

//UNIQUE ARM SYSTEM

The class performing DAT (Dynamic Arm Torsion) system design ensures optimum chain & fabric damage prevention. The awning arms open and close without touching fabric during operation. The DAT System features only stainless steel screws, bolts and pins and is the most advanced choice for your awnings.

FEATURES

- / Strong and secure eight link stainless steel chain.
- / Outstanding mechanical performance.
- / Fabric damage prevention.
- / Teflon coated for marine grade protection.
- / Arms can be adjusted to tilt in single degree increments.



STEIN
open




STEIN
closed




FABRIC PROTECTING HOOD
optional



FIXING DIMENSIONS
WALL/TOP FIX with folded arms
5° incline



ARM PROJECTION



MAX AWNING DIMENSIONS

Max width: 14m
Max projection: 3.5m

PIUMA

FOLDING ARM AWNING

SHEERVIEW
WINDOW FINISHES

//CABLE ARM SYSTEM

Piuma features the Fusion Arm with a tensioned, spring loaded, double stainless steel cable, PVC coated for added protection against corrosion.

FEATURES

- / Outstanding mechanical performance.
- / Fabric damage prevention.
- / Maximum durability
- / Arms can be adjusted to tilt in single degree increments.



PIUMA
open




PIUMA
closed



FIXING DIMENSIONS


WALL/TOP FIX with folded arms
5° incline



MAX AWNING DIMENSIONS

Max width: 6m
Max projection: 3m

ARM PROJECTION



KUMO

FOLDING ARM AWNING

SHEERVIEW
WINDOW FINISHES

//UNIQUE ARM SYSTEM

The class performing DAT (Dynamic Arm Torsion) system design ensures optimum chain & fabric damage prevention. The awning arms open and close without touching fabric during operation. The DAT System features only stainless steel screws, bolts and pins and is the most advanced choice for your awnings.

FEATURES

- / Strong and secure eight link stainless steel chain.
- / Outstanding mechanical performance.
- / Fabric damage prevention.
- / Teflon coated for marine grade protection.
- / Arms can be adjusted to tilt in single degree increments.



KUMO
open




KUMO
closed




FIXING DIMENSIONS


WALL FIX with arms folded




TOP FIX with arms folded



ARM PROJECTION - wall fix



ARM PROJECTION - top fix



MAX AWNING DIMENSIONS

Max width: 6m
Max projection: 3m